# Formica® Collection Woods





The first and original.
Inspired by life.
Evolving with the times.

#### The first and original

Formica Group invented high pressure laminates in 1913. Pioneers by definition, our iconic Formica® brand represents the quintessence of laminates.

### Inspired by life

Laminates entered people's daily lives and made modernity dreams come true and accessible. Similarly, the demand for multifunctional, practical and durable designed surfaces is a constant inspiration for our Formica® Collections. At rest, at leisure, at work.

### **Evolving with the times**

The way people live, work and play continuously changes. Formica Group keep pace with these evolving times through constant innovation, reflecting global trends and responding to ever changing needs and habits.

The true original, still surfacing the world.

F1004 Pale Ash F9229 Dark Sky Birchply





Reflecting the variety of nature. Our Formica® Woods collection displays 81 different wood grains and species, inspired by nature, authentically engineered.



F8576 Blond Cedar



F1004 Pale Ash



F8579 Belvedere Beech



F8580 Satin Oak



F1549 Tromso Maple



F3855 Clear Maple



F2726 Natural Beech



F0190 Finn Beech



F8902 White Painted Wood



F8577 Fjord Elm



F8841 White Ash



F6305 Limed Strand



F1079 Natural Oak



F7555 Manitoba Maple



F8578 Sund Elm



F8843 Natural Ash

F7603

Bio-Oak

MAT

F5370

Ivory Oak Cross

MAT

F1062

Smoked Oak

NAT

F5483

Mocca Firwood



LNW

F8583

Carpentry Oak

NAT

F8584

Quercus Beige

NAT



F5489

Espresso Pear

F8589

Tula Oak

NAT

PGN

F5872

Refined Walnut

NAT

F8581

Quercus Marron

MAT

MAT

NAT



F8586 MAT Cetina Walnut



F8570 NAT Flute Oak



F8587 MAT Peruca Walnut



F8588 MAT/PGN Nevada Oak



F8845 NAT Bleached Legno



F5873 NAT Ventura Oak



F8006 MAT/NAT Avignon Walnut



F8839 MAT Ashen Ribbonwood



F0873 MAT Ebony Ribbonwood



F6307 MAT Burnt Strand



F5488 NAT Smoky Brown Pear



F8575 NAT Dark Ash



F8851 MAT/LNW Classic Wenge



F5477 MAT Ebony Oak Cross



F1547 MAT Noir Cedar



F8848 MAT/NAT Blackened Legno



F9484 PGN Oxidised Beamwood



F6410 PGN Weathered Beamwood



F9480 PGN Salvage Planked Elm



F6477 PGN Seasoned Planked Elm



F6372 NAT White Washed Birchply



F8910 Raw Birchply



F8552 NAT Black Birchply



F8911 NAT Green Slate Birchply



F9229 NAT Dark Sky Birchply

## Surface finishes





Linewood LNW Matte58 MA





Natural NAT Puregrain PG1

















Nocturne Wood

American Walnut

Wenge Strand









F5477 Ebony Oak Cross



F5488 Smoky Brown Pear



F8851 Classic Walnut



F9484 Oxidized Beamwood



F6410 Weathered Beamwood



F9480 Salvage Planked Elm



F6477 Seasoned Planked Elm



F6372 White Washed Birchply



F8910 Raw Birchply



F8911 Green Slate Birchply



F9229 Dark Sky Birchply



F8552 Black Birchply

### Product grades, finishes and accreditations.

This Collection incorporates the following grades of decorative laminate each with its own performance characteristics.

These grades conform to EN438.



### Formica® Laminate

Sheets (thin) consisting of layers of wood-based fibers impregnated with thermosetting resins and a surface décor on one side

Grade: HPL/EN 438-3 HGP: Horizontal, General Purpose, Postforming high pressure decorative laminate

HPL/EN 438-3 HGS: Horizontal, General Purpose, Standard high pressure decorative laminate

Thickness: 0.7 mm (nominal), single sided

Additional flame retardant grades are available on request (please check for available options)



### Formica® Compact

Sheets (thick) consisting of layers of wood-based fibers impregnated with thermosetting resins and surface décor on one or both sides

Grade: HPL/EN 438-4 CGS: Compact, General Purpose, Standard high pressure decorative laminate

Thickness: Single sided 2, 2.5, 3 mm / Double sided 4, 6, 8, 10, 12, 13, 16, 18, 20 mm

Additional flame retardant grades are available on request (please check for available options)

#### Available surface finishes and recommended applications

Surface Finish Description	Surface Finish Designation	Code	Recommended applications			
			Horizontal (& Vertical), General purpose	Vertical and Light-duty horizontal		
Linewood	LNW	LW	•			
Matte 58	MAT	58	•			
Naturelle	NAT	NT		•		
Puregrain	PGN	35	•			

V V O O O S		Sheet size (mm)					
			3050x1300	2150x950	2350x950	2350x1300	3660x1525
Code	Décor	Light Reflectance Value	Grade: HGP CGS	Grade: HGS CGS	Grade: HGS CGS	Grade: HGS CGS	Grade: HGP CGS
F0190	Finn Beech	40.8	MAT	MAT	MAT	MAT	
F0873	Ebony Ribbonwood	9.1	MAT	MAT	MAT	MAT	
F1004	Pale Ash	62.1	NAT	NAT	NAT	NAT	
F1062	Smoked Oak	31.7	NAT				
F1079	Natural Oak	49.0	NAT	NAT	NAT	NAT	
F1139	Country Cherry	21.0	MAT				
F1293	Redwood	12.7	MAT	MAT	MAT	MAT	
F1547	Noir Cedar	10.3	MAT	MAT	MAT	MAT	MAT
F1548	Mocha Cedar	28.8	MAT	MAT	MAT	MAT	MAT
F1549	Tromso Maple	54.9	MAT	MAT	MAT	MAT	
F1614	Punga Punga Wood	8.0	MAT	MAT	MAT	MAT	
F2726	Natural Beech	55.5	MAT	MAT	MAT	MAT	
F2884	Vosges Pear	25.2	MAT	MAT	MAT	MAT	
F3699	Rattan Cane	23.7	NAT				
F3855	Clear Maple	52.2	MAT	MAT	MAT	MAT	
F5147	Sombre Walnut	14.1	MAT				
F5150	American Walnut	14.6	MAT				MAT
F5370	Ivory Oak Cross	43.8	MAT	MAT	MAT	MAT	
F5372	Vintage Wood	25.2	MAT	MAT	MAT	MAT	
F5373	Nocturne Wood	14.7	MAT	MAT	MAT	MAT	
F5374	Elegant Oak	35.0	MAT/NAT	MAT/NAT	MAT/NAT	MAT/NAT	MAT
F5477	Ebony Oak Cross	11.4	MAT	MAT	MAT	MAT	
F5483	Mocca Firwood	32.0	LNW	LNW	LNW	LNW	
F5486	Classic Walnut	30.5	MAT	MAT	MAT	MAT	
F5487	Oiled Walnut	18.6	MAT				
F5488	Smoky Brown Pear	14.8	NAT	NAT	NAT	NAT	
F5489	Espresso Pear	9.8	NAT				
F5782	Formal Walnut	16.1	NAT	NAT	NAT	NAT	
F5872	Refined Walnut	11.0	NAT	NAT	NAT	NAT	
F5873	Ventura Oak	32.4	NAT	NAT	NAT	NAT	
F5883	Pecan Woodline	27.4	MAT/NAT	MAT	MAT	MAT	
F5884	Chestnut Woodline	13.9	MAT				
F5887	Millennium Oak	26.7	PGN	PGN	PGN	PGN	
F6149	Light Oak	29.0	MAT	MAT	MAT	MAT	
F6209	Prestige Walnut	8.8	MAT				
F6305	Limed Strand	66.7	MAT				
F6306	Wenge Strand	11.0	MAT				
F6307	Burnt Strand	15.1	MAT				
F6372	White Washed Birchply	69.4	NAT				
F6410	Weathered Beamwood	35.4	PGN				
F6477	Seasoned Planked Elm	24.9	PGN				

Sheet size (mm)

V V O O O O O			Sileet size (illili)					
			3050x1300	2150x950	2350x950	2350x1300	3660x1525	
Code	Décor	Light Reflectance Value	Grade: HGP CGS	Grade: HGS CGS	Grade: HGS CGS	Grade: HGS CGS	Grade: HGP CGS	
F6926	Smoky Walnut Woodline	22.3	MAT					
F6930	Natural Cane	49.1	NAT	NAT	NAT	NAT		
F6932	Macchiato Walnut	15.8	MAT/NAT	MAT	MAT	MAT	MAT	
F7555	Manitoba Maple	62.0	MAT		,			
7603	Bio-Oak	43.0	MAT	MAT	MAT	MAT		
F7912	Storm	14.8	LNW/NAT	LNW/NAT	LNW/NAT	LNW/NAT		
7921	Birch	52.2	MAT	MAT	MAT	MAT		
F8006	Avignon Walnut	35.4	MAT/NAT	MAT	MAT	MAT		
8552	Black Birchply	8.8	NAT	NAT	NAT	NAT		
F8570	Flute Oak	42.3	NAT		,			
8575	Dark Ash	11.2	NAT	NAT	NAT	NAT		
8576	Blond Cedar	54.4	MAT	MAT	MAT	MAT		
8577	Fjord Elm	60.5	NAT					
8578	Sund Elm	47.4	NAT					
8579	Belvedere Beech	50.6	NAT	NAT	NAT	NAT		
8580	Satin Oak	45.0	PGN					
8581	Quercus Marron	13.6	NAT					
8583	Carpentry Oak	38.6	NAT	NAT	NAT	NAT		
8584	Quercus Beige	37.0	NAT					
8585	Evergreen Oak	31.3	LNW	LNW	LNW	LNW		
8586	Cetina Walnut	27.9	MAT	MAT	MAT	MAT		
8587	Peruca Walnut	42.6	MAT	MAT	MAT	MAT		
8588	Nevada Oak	30.6	MAT/PGN	MAT/PGN	MAT/PGN	MAT/PGN	MAT	
8589	Tula Oak	12.9	PGN	PGN	PGN	PGN		
8839	Ashen Ribbonwood	43.0	MAT	MAT	MAT	MAT		
8841	White Ash	69.7	MAT/NAT	MAT	MAT	MAT		
8843	Natural Ash	53.3	MAT/NAT	MAT	MAT	MAT		
8844	Aged Ash	38.9	NAT	NAT	NAT	NAT		
8845	Bleached Legno	21.8	NAT					
8847	Jarrah Legno	11.5	MAT/NAT	MAT	MAT	MAT		
8848	Blackened Legno	8.0	MAT/NAT	NAT	NAT	NAT		
8849	Natural Teak	15.5	MAT					
8851	Classic Wenge	9.4	LNW/MAT	LNW	LNW	LNW		
8853	Rural Oak	32.9	PGN/MAT	PGN	PGN	PGN	MAT	
8902	White Painted Wood	73.6	PGN					
8910	Raw Birchply	48.5	NAT	NAT	NAT	NAT		
8911	Green Slate Birchply	19.1	NAT					
9012	Ebony	9.6	NAT	NAT	NAT	NAT		
9229	Dark Sky Birchply	15.2	NAT					
9480	Salvage Planked Elm	24.4	PGN					
F9484	Oxidized Beamwood	17.5	PGN					

Sheet size (mm)

#### General

The information given in this brochure is correct at the time of publication. However, as we have a policy of constant product development and improvement, product specifications may change in the future. Visit formica.com, or formica. info for technical data, as the most upto-date source of information.. Not all certifications stated are applicable or available for all Formica® products. Please check that the product you require is covered by a relevant certification or is suitable for your specific application, in advance of order placement.

#### **Light Reflectance Value**

Light Reflectance Value (LRV) is a value indicating the proportion of light reflected by a colour, when measured under standard daylight conditions. This guidance uses a scale of 0-100, where 0 = black and therefore total light absorption, whereas white = 100 and therefore total light reflection. The main purpose of this value is to indicate measured colour contrast between two surfaces, which need to be readily distinguishable within an environment (under static conditions, a difference of 30 units between two colours is considered adequate). LRVs stated may or may not be exact and are provided for guidance only.

#### Please note

For non-solid colour decors, where there are multiple colours across the design, the stated LRV is an average value taken from multiple measurements across the décor and must be used with caution.

The individual colours in a pattern, woodgrain or stone design can differ more than 30 LRV units within the design itself.




ISO 14001 Environmental Management

CERTIFIED

ISO 45001 Occupational Health and Safety Management CERTIFIED











#### Disclaime

#### General

The information provided by Formica Group ("Formica") in this document is solely indicative. The information given in this brochure is correct at the time of publication. However, as we have a policy of constant product development and improvement, product specifications may change in the future. Visit www.formica.com as the most up-to-date source of information. Formica does not warrant that the information in this document is suitable for your specific purpose. Colour system notations represent the closest match available in the particular system. They may or may not be exact and are provided for guidance only. When exact colour information is required, please always refer to an actual laminate sample in the specified finish.

#### Liabilit

Formica is not liable (neither contractual nor non-contractual) for any damage arising from or related to the use of this document, except if and to the extent that such damage is the result of willful misconduct or gross negligence on the part of Formica and/or its management. The limitation of liability applies to all parties affiliated with Formica including but not limited to its officers, directors, employees, affiliated enterprises, suppliers, distributors, agents, and representatives.

#### General Conditions

All sales of Formica® brand products are governed by the Formica General Terms and Conditions of Sale in effect at the time of sale and contained in every order acknowledgement and are available upon request.

#### Intellectual Property

All intellectual property rights and other rights regarding the content of this document (including logos, marks, text and photographs) are owned by Formica Group and/or its licensors

Formica and the Formica Anvil Device are registered trademarks of The Diller Corporation

